Cleanmeleon 2 PRO

- > very powerful, manoeuvrable work
- > improved shift of centre and increased lifting power
- > ready for work under heavy load
- > quick, tool-free change of the attachment machines



various engines possible

high maneuverability thanks to steering over rear axle

Hatz Diesel 1B50V Engine (Petrol) 85 dB 82 dB 82 dB 11,9 kw 7,6 kw hydrostatic 10 km/h Speed Start electric start Hydraulic Hydraulic powe 18 ltr. / min Steering rear wheel steering approx. 300 kg (additiona weights possible as required)
L = 1500 mm, W = 825 mm, H = 1130 mm Weight Size Chassis 5 mm galvanized

AS tires 16 x 6.50-8

hydraulically

Lighting possible

Accessory incl. operating hours counter

Mounting options Radial sweeper, weed brush, axial sweeper, food auger, spreader, lime and feed spreader, scraper, washer, pushing shield, snow plough

(Technical data is approximate and non-binding.)



Lifting of attachments



PROfessional technology.











Attaching machines for self-drivers: Radial sweeper

Radial sweeper R 900 | R 900-E



- working width 900 mm
- robust, stable bristles for moving large quantities of debris
- thanks to the special bristle angle, it gets into every corner
- direction of rotation can be flexibly controlled (right/left)
- easy change of the bristle set

Available for:

- ☐ Cleanmeleon 2 Electric
- ☐ Cleanmeleon 2 with hydraulic

Radial sweeper R 1000



- working width 1000 mm
- for sweeping large quantities of debris
- thanks to the special bristle angle, it gets into every corner
- direction of rotation can be flexibly controlled (right/left)
- bristle set can be changed quickly by using screws
- side plate available

Available for:

- ☐ Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

Segment sweeper WSB 1400



- working width 1400 mm
- easy construction, very low maintenance
- Segments can be inserted variably (e.g. PPN-wire-PPN...)
- Segments can be easily expanded and exchanged
- Right / left rotation adjustable
- sweeping possible up to 15 km/h driving speed

Available for:

Cleanmeleon 2 PRO



Attaching machines for self-drivers: Large area cleaning

Attaching machines for self-drivers: Moss and weed removing

Axial sweeper AX 900 | AX 900-E



- working width 900 mm
- overhead sweeping principle with pendularly suspended roller brush
- leading roll-off lip guides the debris to the roller brush
- AX 900 expandable with up to <u>two</u> additional side brushes AX 900-E expandable with <u>one</u> additional side brush

Available for:

- Cleanmeleon 2 Electric
- Cleanmeleon 2 with hydraulic

Axial sweeper AX 1200



- working width 1200 mm
- overhead sweeping principle with pendularly suspended roller brush
- leading roll-off lip guides the debris to the roller brush
- AX 1200 expandable with up to two additional side brushes
- Sloping left / right for free sweeping possible (only with raised foam roller)

Available for:

Cleanmeleon 2 PRO

Snow plough



- working width 1600 mm
- with robust protective edge
- can be swiveled to the left and right
- pushes both snow and dirt

Available for:

- ☐ Cleanmeleon 2 Electric
- ☐ Cleanmeleon 2 without hydraulic
- ☐ Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO
- ☐ Cleanmeleon 2 XL

Radial sweeper R 1000, wire



- working width 1000 mm
- pure wire brush
- excellent and sustainable green removal on paved surfaces when used regularly
- thanks to the special bristle angle, it gets into every corner

Available for:

- Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

Weed brush WKB 550



- working width 550 mm
- sturdy wire braids remove moss and heavy green growth
- brush arm can be swiveled manually by 180 ° from left to right
- sweeped up to the edges

Available for:

- ☐ Cleanmeleon 2 with hydraulic
- Cleanmeleon 2 PRO

Weed brush WKB 660



- working width 660 mm
- 3 rotating brush holders each with 4 wire braids under the brush container attack the plants from all sides
- floor-protecting work thanks to even pressure distribution
- quick exchange of the wire braids via quick-change system

Available for:

Cleanmeleon 2 PRO





Attaching machines for self-drivers: Running and lying area maintenance

Radialbesen R 900 | R 1000



- working width 900 mm | 1000 mm
- even large amounts of feed can be moved
- Mold residues and smear layers are reduced

Available for:

- Cleanmeleon 2 Electric (only R 900)
- ☐ Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO
- Cleanmeloen 2 XL

Feed auger FA 800



- working width 800 mm
- open windings loosen and upgrade the feed and bring it back to the animals
- mold residues and smear layers are reduced
- can be equipped with an additional side brush

Available for:

- Cleanmeleon 2 with hydraulik
- Cleanmeleon 2 PRO
- Cleanmeloen 2 XL

Lime and feed spreader



- ideal for evenly sprinkling lime
- can also be used as a concentrate feeder
- with dosing opening in the manually swiveling ejector bar

Available for:

- Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO

Pushing shield 80-160



- working width can be flexibly adjusted from 80 160 cm by using a perforated strip
- perfect for narrow passages

Available for:

- Cleanmeleon 2 Electric
- ☐ Cleanmeleon 2 without hydraulic
- ☐ Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

Scraper ASS 800 | ASS 800-E ◆ ASS 900 | ASS 900-E ◆ ASS 1200



- working width 800 mm, 900 mm or 1200 mm
- with two rubber lips attached one behind the other
- C-shaped front does not allow rubbish to drift to the side
- Side brush for sweeping the lying surfaces is *optionally* available

Available for:

- Cleanmeleon 2 Electric
- Cleanmeleon 2 without hydraulic (then only without side brush)
- Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO
- Cleanmeleon 2 XL

Washer SW 800 • SW 900 • SW1200



- working width 800 mm, 900 mm or 1200 mm
- incl. 150 l water tank, filter, high pressure pump, clearing stars
- adapter for high pressure lance available as an accessory

Available for:

- ☐ Cleanmeleon 2 with hydraulic
- ☐ Cleanmeleon 2 PRO
- ☐ Cleanmeleon 2 XL

Spreader EG 580



- high quality, robust guide wheels
- flexible spreading paddles transport the spreading material out
- self-filling by tilting the container down (using the hydraulic cylinder)
- also available as trailer version

Available for:

☐ Cleanmeleon 2 with hydraulic

Spreader EG 540



- high quality, robust guide wheels
- flexible spreading paddles transport the spreading material out
- Selbstbefüllen durch Herabkippen der vorderen Schaufel

Available for:

- Cleanmeleon 2 PRO
- Cleanmeleon 2 XL



